

The SCHENCK logo consists of a square icon with a stylized 'S' inside, followed by the word 'SCHENCK' in a bold, sans-serif font.

TOOLDYNE

The tool balancing system
from the expert

RM 1068e

The Tooldyne logo features the word 'Tooldyne' in a bold, sans-serif font, with a stylized red and white graphic element below it consisting of several slanted parallel lines.

TOOLDYNE

The complete balancing system for tools

The customized features



Toolodyne is a complete system for balancing tools and tool holders. Even the base version offers a comprehensive range of functions, easy operation and the highest levels of safety.

AND SOME OTHER CONVINCING ARGUMENTS:

- ▶ Requires little space and can be started up easily and quickly with the crane hook solution – plug & play.
- ▶ Optional software packages for specific applications.
- ▶ As with all our systems, Tooldyne fulfils the highest standards of protection in accordance with ISO 21940-23:2012-09, class C20.



TECHNICAL DATA:

- ▶ Maximum rotor weight: 30 kg
- ▶ Max. tool diameter: 400 mm
- ▶ Max. length of tool incl. holder: 600 mm
- ▶ Spindle speed: 1,200 rpm
- ▶ Smallest residual achievable unbalance: 0.5 gmm/kg



SCHENCK RoTec GmbH
Landwehrstraße 55
64293 Darmstadt, Germany
T +49 6151 32-2311
F +49 6151 32-2315
rotec@schenck.net
www.schenck-rotec.com

The  Group

www.tooldyne.com